

Notice of Allowability

Application No.

09/887,364

Examiner

St. John Courtenay III

Applicant(s)

SILBERBERG ET AL.

Art Unit

2194

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment, supporting arguments, and Examiner's amendment.
2. ☒ The allowed claim(s) is/are 1-14, 22, 24, now renumbered 1-16.
3. ☒ The drawings filed on 22 June 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 10-15-03, 11-04-03
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


ST. JOHN COURTENAY III
PRIMARY EXAMINER

Application/Control Number:
09/887,364
Art Unit: 2194

Page 2

EXAMINER'S AMENDMENT

An Examiner's Amendment to the record appears below.
Authorization for this Examiner's Amendment was received by telephone from Lisa Tom, attorney of record (Reg. No. 52,291, phone 206-292-8646) on May 13, 2005.

Should the changes and/or additions be unacceptable to Applicant, an amendment may be filed as provided by 37 C.F.R. §1.312.

The application has been amended as follows:

As per independent claim 1:

"A system"

has been changed to:

--- A computer-implemented system ---

As per dependent claims 2-14:

"The system according to"

has been changed to:

--- The computer-implemented system according to ---

As per independent claim 15:

Claim 15 has been cancelled.

Application/Control Number:
09/887,364
Art Unit: 2194

Page 3

As per independent claim 22:

"A method for accessing information"

has been changed to:


--- A computer-implemented method for accessing information ---

As per independent claim 24:

"A system for accessing information"

has been changed to:

--- A computer-implemented system for accessing information ---



ST. JOHN COURTENAY III
PRIMARY EXAMINER

Application/Control Number:
09/887,364
Art Unit: 2194

Page 4

How to Contact the Examiner:

Any inquiry concerning this communication or earlier communications from the examiner should be directed to St. John Courtenay III, whose telephone number is 571-272-3761. A voice mail service is also available at this number. The Examiner can normally be reached on Monday - Friday, 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, An Meng-AI who can be reached on 571-272-3756. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

All responses sent by U.S. Mail should be mailed to:

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

**PTO CENTRAL FAX NUMBER:
703-872-9306**

- Any inquiry of a general nature or relating to the status of this application should be directed to the **TC 2100 Group receptionist: (571) 272-2100.**


**ST. JOHN COURTENAY III
PRIMARY EXAMINER**